

**Tabulation of Bids\***

<b>Purchasing Office Solicitation No.:</b>	2018-001 (industrial pretreatment sampling and testing, Water Reclamation Facility influent and effluent testing, and testing of river samples)					
<b>Notice to Bidders published in the Williamson Herald on:</b>	10/5/17					
<b>Number of vendors that were notified of / that responded to this solicitation for bids:</b>	9 / 4					
<b>Date and time bids due and publicly opened:</b>	10/24/17 2:00 PM					
<b>Present at opening of bids:</b>	Terry Breshears of TPM Group and Ashley Morris of Waypoint Analytical; Ivan Thurber of the City of Franklin Water Management Department; and Natalie Keene and Brian Wilcox of the City of Franklin Purchasing Office					
<b>Target meeting of BOMA at which recommendation is scheduled to be considered:</b>	11/28/17					
<b>Bids received from:</b>	<b>Bid No.:</b>	<b>Does the bid include all required documents?</b>	<b>Does the bid MOES<sup>1</sup>? / If not, how many exceptions do not MOES<sup>1</sup>?</b>	<b>Total quoted all-inclusive estimated bid price for all specified services for a twelve (12) month period:</b>	<b>Payment terms:</b>	<b>Bid and associated pricing is valid and may be accepted through:</b>
Empirical Laboratories, LLC 621 Mainstream Dr., Suite 270 Nashville, TN 37228 Delia Weber, Client Services Director 615-345-1115, ext. 246 sales@empirlabs.com	1 of 1	Yes	Bidder takes no exceptions	\$17,366.00	net 30 days	01/23/18
EnviroScience, Inc. 5070 Stow Rd. Stow, OH 44224 Jennifer Vydra, Lab Manager 330-688-0111 jvydra@enviroscienceinc.com	no bid	no bid	no bid	no bid	no bid	no bid
TPM Group 2311 Kline Ave. Nashville, TN 37211 Terry Breshears, Project Manager 615-585-0995 tbreshears@tpm-group.com	1 of 1	Yes; however, Addendum No. 1 not acknowledged	Bidder takes no exceptions	\$69,067.20	net 30 days	01/31/18
Waypoint Analytical, Inc. 2790 Whitten Rd. Memphis, TN 38133 Nathan Pera, Chairman/Exec-VP 901-213-2446 npera@wpacorp.com	1 of 1	Yes	Bidder takes no exceptions	\$39,553.00	net 30 days	05/01/18

<sup>1</sup>MOES indicates "meet(s) or exceed(s) specifications"

\*Shaded bid is apparent lowest best bid