



GENERAL NOTES		ISSUE REF	
1. McDONALD'S ROAD SIGN AND BASE ARE BY THE SIGN CONTRACTOR. CONDUIT AND WIRING ARE BY THE GENERAL CONTRACTOR.		BY	
2. BASES, ANCHOR BOLTS, CONDUIT, AND WIRING FOR ALL OTHER SIGNS ARE BY THE GENERAL CONTRACTOR.			
3. 3/4" EMPTY CONDUIT TO LOCATIONS SHOWN AT THE LOT PERIMETER FOR LOT LIGHTING IS BY THE GENERAL CONTRACTOR. LIGHTING FIXTURES, BASES, POLES, CONDUIT, AND WIRING ARE BY THE OWNER/OPERATOR. DIMENSION OF LIGHT POLE BASES BEHIND CURB AT 2'.			
4. BASES FOR FLAGPOLES ARE BY THE GENERAL CONTRACTOR. ANCHOR BOLTS ARE BY THE FLAGPOLE SUPPLIER.			
5. PROPOSED UTILITIES ARE SHOWN IN SCHEMATIC ONLY. EXACT LOCATIONS SHALL BE DETERMINED TO ALLOW FOR THE MOST ECONOMICAL INSTALLATION.			
6. THE CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO DETERMINE POINT OF SERVICE CONNECTION OF EXISTING UTILITY. REFER TO THE BUILDING ELECTRICAL AND PLUMBING DRAWINGS FOR UTILITY SERVICE ENTRANCE LOCATIONS, SIZES, AND CIRCUITING. CONSTRUCTION SHALL NOT START UNTIL WRITTEN APPROVAL HAS BEEN RECEIVED FROM THE UTILITY COMPANY. A MINIMUM OF 48 HOURS IS REQUIRED FOR NOTIFICATION.			
7. ALL ELEVATIONS SHOWN ARE IN REFERENCE TO THE BENCHMARK AND MUST BE VERIFIED BY THE GENERAL CONTRACTOR AT GROUND-BREAK.			
8. FINISH WALK AND CURB ELEVATIONS SHALL BE 6" ABOVE FINISH PAVEMENT.			
9. ALL LANDSCAPE AREAS SHALL BE ROUGH GRADED TO 6" BELOW TOP OF ALL WALKS AND CURBS. FINISH GRADING, LANDSCAPING, AND SPRINKLER SYSTEMS ARE BY THE OWNER/OPERATOR.			
10. LOT LIGHTING CONCRETE FOOTINGS TO CONFORM WITH THE SOILS REPORT RECOMMENDATIONS FOR THIS PARTICULAR SITE.			
11. ALL PHASES OF SITE WORK SHALL MEET OR EXCEED McDONALD'S SPECIFICATIONS.			
12. ALL DIMENSIONS SHOWN ARE TO FACE OF CURB UNLESS OTHERWISE NOTED.			
TYPE OF BUILDING : EXISTING BUILDING		DATE	
PAVING SPECIFICATION -----		REV	
NOTE: McDONALD'S ENGINEER RESERVES THE RIGHT TO REQUEST A COMPACTION TEST AND/OR A CORE SAMPLE. IF TESTS PROVE CORRECT, PER ABOVE SPECIFICATION, TESTS WILL BE AT THE EXPENSE OF McDONALD'S, OTHERWISE, G.C. WILL BE CHARGED.			
LOT LIGHTING RECOMMENDATION		McDonald's USA, LLC These drawings and specifications are the confidential and proprietary property of McDonald's USA, LLC and shall not be copied or reproduced without written authorization. The contract documents were prepared for use on this specific site in conjunction with its issue date and are not suitable for use on a different site or at a later time. Use of these drawings for reference on other projects without the express written consent of McDonald's USA, LLC is prohibited. Reproduction of the contract documents for reuse on another project is not authorized.	
PARKING INFORMATION		PLAN APPROVALS	
TOTAL SPACES 42	THIRTY-FOUR	SPACES	9'-0" X 18'-0" @ 60'
	SIX	SPACES	9'-0" X 18'-0" @ 90'
	TWO (H)	SPACES	8'-0" X 18'-0" @ 60'
	-----	SPACES	9'-0" X 18'-0" @ 60'
UTILITY INFORMATION		DATE	
	SIZE	TYPE	LOCATION
SANITARY SEWER	-	GRAVITY	ON SITE
WATER	-	-	AT REAR OF PROPERTY
STORM SEWER	-	-	ON SITE
ELECTRIC	-	-	AT REAR OF PROPERTY
GAS	-	-	-
SURVEY INFORMATION		CO-SIGN SIGNATURES	
PREPARED BY:	MARTIN ENGINEERING AND SURVEYING 5226 MAIN STREET, SUITE C-3 SPRING HILL, TN 37147		
TELEPHONE: (615) 812-2147	DATE: -		
FAX:	REV: -		
LEGEND		REGIONAL MGR.	
-SAN- SANITARY SEWER		CONST. MGR.	
-W- WATER		OPERATIONS DEPT.	
-W- STORM SEWER		REAL ESTATE DEPT.	
-E- ELECTRIC		CONTRACTOR	
-G- GAS		OWNER	
-T- TELEPHONE			
-UGT- LOT LIGHT			
EXISTING ELEVATION 76.5			
PROPOSED ELEVATION 77.0			
PLAN SCALE: 1" = 20'			
STREET ADDRESS 1704 GALLERIA BLVD			
CITY	STATE	STATUS	DATE
FRANKLIN	TENNESSEE	PRELIMINARY	08-27-15
COUNTY		PLAN CHECKED	
WILLIAMSON		AS-BUILT	
REGIONAL DWG. NO.	LOCATION CODE NUMBER	SITE PLAN	
49394	041-0369	C 2.0	