



Legislation Details (With Text)

File #: 18-0920 **Version:** 1 **Name:** recommendation to reject all bids for sludge polymer for wastewater sludge dewatering

Type: Contract/Agreement **Status:** Passed

File created: 8/29/2018 **In control:** Work Session

On agenda: 11/13/2018 **Final action:** 11/13/2018

Title: *Consideration Of Recommendation To Reject All Bids For Supply And Delivery Of Bid Sludge Polymer For Wastewater Sludge Dewatering (Purchasing Office Procurement Solicitation No. 2019-003)

Sponsors: Michelle Hatcher

Indexes:

Code sections:

Attachments: 1. 2019-003 Tabulation of bids revised 2018.10.31.1239 as released 2018.11.02

Date	Ver.	Action By	Action	Result
11/13/2018	1	Work Session	acknowledged	
11/13/2018	1	Board of Mayor & Aldermen	approved	Pass
9/25/2018	1	Work Session	referred	

DATE: November 5, 2018

TO: Board of Mayor and Aldermen

FROM: Eric Stuckey, City Administrator
 Kristine Tallent, Assistant City Administrator / CFO
 Michelle Hatcher, Water Management Director
 Brian Wilcox, Purchasing Manager

SUBJECT:
 *Consideration Of Recommendation To Reject All Bids For Supply And Delivery Of Bid Sludge Polymer For Wastewater Sludge Dewatering (Purchasing Office Procurement Solicitation No. 2019-003)

Purpose

The purpose of this procurement would be to purchase the supply and delivery of bid sludge polymer for wastewater sludge dewatering. This chemical product is necessary and would be used for the routine operation of the City’s Water Reclamation Facility.

Background

The City published on July 12, 2018 a Notice to Bidders in the *Williamson Herald* for supply and delivery of sludge polymer for wastewater sludge dewatering. In addition, bid documents were sent on or about the same date directly to 41 potential bidders known or thought to be interested in this solicitation. Bids from three (3) suppliers were publicly opened at the bid opening held on August 23, 2018. A tabulation of the bids received for this solicitation is attached.

One of the bidders has recently objected to the method used by the City for calculating the value of its bid. Upon consideration of the objection, staff recommends the City reject all bids so that staff may pursue revising and reissuing the specifications as part of a new procurement solicitation for supply and delivery of bid sludge polymer for wastewater sludge dewatering.

Financial Impact

If the Board of Mayor and Aldermen approves the recommendation to reject all bids, then staff expects to pursue revising and reissuing the specifications as part of a new procurement solicitation for supply and delivery of bid sludge polymer for wastewater sludge dewatering.

Options

In accordance with the bid documents, the City reserves the right to reject any and all bids, and doing so is what staff recommends. As an option to this recommendation, the Board of Mayor and Aldermen could direct staff to prepare a recommendation to award the procurement to the lowest and most responsive and responsible bidder of the bids received pursuant to Purchasing Office Procurement Solicitation No. 2019-003.

Recommendation

Staff recommends the City reject all bids received pursuant to Purchasing Office Procurement Solicitation No. 2019-003 for supply and delivery of bid sludge polymer for wastewater sludge dewatering.