

## Legislation Details (With Text)

**File #:** 17-0198      **Version:** 1      **Name:**  
**Type:** Presentation      **Status:** Agenda Ready  
**File created:** 3/1/2017      **In control:** Work Session  
**On agenda:** 3/14/2017      **Final action:**  
**Title:** Project Status Update on the Downtown Parking Capacity and Management Study  
**Sponsors:** Engineering  
**Indexes:**  
**Code sections:**  
**Attachments:** 1. Franklin Parking Study BOMA Final 2-28-17

Date	Ver.	Action By	Action	Result
3/14/2017	1	Work Session	acknowledged	

**DATE:** July 7, 2016

**TO:** Board of Mayor and Aldermen

**FROM:** Eric Stuckey, City Administrator  
Paul Holzen, City Engineer/Director of Engineering  
Jonathan Marston, Assistant Director of Engineering

**SUBJECT:**  
Project Status Update on the Downtown Parking Capacity and Management Study

### Purpose

The purpose of this memorandum is to provide information to the Franklin Board of Mayor and Aldermen (BOMA) concerning the Downtown Parking Capacity and Management Study

### Background

The Board approved the Downtown Parking Capacity and Management Study in August of 2016. The data collection portion of the scope has been completed and generally included the following:

- 1) Inventory - Number of spaces for public on-street parking, public garages, publicly leased lots and selected private lots.
- 2) On-street Striping Plan - Creation of an on-street striping plan to determine proper layout for on-street parking within the stud area
- 3) Parking Utilization Study - Data collected on how many vehicles pared per block. Done via a field survey on 30 minute interval.
- 4) Parking Duration Study - Data collected in the core, walkable portion of the study area using License Plate Recognition Survey on an hourly basis. Indicates how long parking spaces are occupied.

Staff will provide a short presentation to review the existing conditions so that we can obtain feedback from the Board of Mayor and Aldermen.

**Financial Impact**

No financial impact at this time.

**Recommendation**

This presentation is for informational purposes only. No recommendations at this time.