

# City of Franklin

# Legislation Details (With Text)

File #:	18-1	061	Version:	1	Name:				
Туре:	Contract/Agreement				Status:	Passed	Passed		
File created:	10/11/2018				In control:	Board of Mayor & Aldermen	Board of Mayor & Aldermen		
On agenda:	11/1	11/13/2018			Final action	: 11/13/2018	11/13/2018		
Title:	Consideration Of A Request For Sewer Availability For 404 Ellington Drive Map And Parcel 106H 07700 (10/25/18 CIC Recommended Approval with Conditions 3-0)								
Sponsors:	Michelle Hatcher								
Indexes:									
Code sections:									
Attachments:	1. 404 Ellington Drive - Map, 2. Sewer Request								
Date	Ver.	Action By	1			Action	Result		
11/13/2018	1	Board of Mayor & Aldermen			en	approved	Pass		
10/25/2018	1	Capital Investment Committee			nittee	referred as a Consent Item	Pass		
DATE:	October 11, 2018								
то:	Board of Mayor and Aldermen								
FROM:		Michelle Hatcher, Director Water Management							

#### SUBJECT:

Consideration Of A Request For Sewer Availability For 404 Ellington Drive Map And Parcel 106H---07700 (10/25/18 CIC Recommended Approval with Conditions 3-0)

#### <u>Purpose</u>

The purpose of this memo is to provide information to the Franklin Board of Mayor and Aldermen (BOMA) concerning is to recommend denial of a request for sewer availability for the above referenced property.

## **Background**

Date of Request: 9/7/18 SFUE's Requested: 1 Domestic Water Meter Size(s): N/A This property is located outside of the City limits.

#### Financial Impact

None.

## **Recommendation**

Staff recommends that this availability request be denied. Although a new sewer main will be installed across the adjacent property, allowing this applicant to tie into that main would entail a service line crossing one property to serve another property. This would constitute a non-systematic expansion of the sanitary sewer system. In addition, Title 18 of the Franklin, TN Code of Ordinances states that the City is responsible for a service line from the main to the customer's property line. In this case, this would create an undue burden on the City and, by extension, on the Water Management Department utility rate payers.